KULISH, S.A., inzh.

Determining the efficiency of reorganizing mines. Izv.vys. ucheb.zav.; gor.zhur. no.7:35-38 '60. (MIRA 13:7)

1. Khar'kovskiy inzhenerno-ekonomicheskiy institut. Rekomendovana kafedroy ekonomiki i organizatsii material'no-tekhnicheskogo snabzheniya.
(Coal mines and mining--Costs)

KULISH, S.A., inzh.; CHUGAYENKO, N.I.

Potentialities for the reduction of supply costs in coal mining. Izv. vys. ucheb. zav.; gor. zhur. no.10:53-58 '60. (MIRA 13:11)

1. Khar'kovskiy inzhenerno-ekonomicheskiy institut. Rekomendovana kafedroy ekonomiki i organizatsii material'no-tekhnicheskogo snabzheniya.
(Coal mines and mining—Equipment and supplies)

KULISH, S.A.

Reducing expenditures for equipment procurement. Ugol' 35 no.11:59-60 N '60. (MIRA 13:12)
(Coal mines and mining--Equipment and supplies)

KULISH, S.A., kand.ekon.nauk, dotsent

Improving the organization of equipment and material supply.
Ugol' Ukr. 5 no.9:40-41 S '61. (MIRA 14:9)

1. Khar'kovskiy inzhenerno-ekonomicheskiy institut.
(Donets Basin--Coal mines and mining--Equipment and supplies)

NAUMENKO, K.D., doktor ekonom.nauk, prof.; KULISH, S.A., kand.ekonom.nauk, dotsent; CHUGAYENKO, N.I., inzh.

"Fundamentals for setting norms in material expenditures in coal mining" by M.E.Raikher, I.G.Guberman. Reviewed by K.D.Naumenko, S.A.Kulish, N.I.Shugaenko. Ugol' 36 no.8:62-63 Ag '61. (MIRA 14:9)

1. Khar'kovskiy inzhenerno-ekonomicheskiy institut.
(Coal mines and mining--Equipment and supplies)
(Coal mines and mining--costs)
(Raikher, M.E.) (Guberman, I.G.)

KULISH, S. A., inzh.

Limits for enlarging lumber warehouses. Izv. vys. ucheb. zav.: gor. zhur. 5 no.8:68-70 '62. (MIRA 15:10)

1. Khar'kovskiy inzhenerno-ekonomicheskiy institut. Rekomendovana kafedroy ekonomiki i organizatsii material'no-tekhnicheskogo snabzheniya.

(Lumber—Storage)

KULISH, S.A., dotsent

Investigation of manpower used for the storage of lumber and mining materials in mines. Izv. vys. ucheb. zav.; gor. zhur. 6 no.9:72-76 '63. (MIRA 17:1)

1. Khar'kovskiy inzhenerno-ekonomicheskiy institut. Rekomendovana kafedroy ekonomiki i organizatsii gornoy promyshlennosti.

KULISH, S.A., dotsent

Using correlation for the analysis of coal costs. Ugol' Ukr. 7 no.11:48-49 N '63. (MIRA 17:4)

1. Khar'kovskiy inzhenerno-ekonomicheskiy institut.

KULISH, S.A., dotsent

Correlative analysis of the capital assets of coal mines. Izv. vys.ucheb.zav.gor.zhur. 7 no. 1:80-83 '64. (MIRA 17:5)

1. Khar'kovskiy inzhenerno-ekonomicheskiy institut. Rekomendovana kafedroy bukhgalterskogo ucheta i statistiki.

KULISH, S.A., dotsent

Using the theory of mass handling in the organization of loading and unloading operations. Izv.vys.ucheb.zav.;gor.zhur. 7 no.7:53-59 '64. (MIRA 17:10)

1. Khar'kovskiy inzhenerno-ekonomicheskiy institut. Rekomendovana kafedroy ekonomiki i organizatsii gornogo proizvodstva.

KULISH, S.A., kand.ekonom.nauk; GRITSAY, A.P., kand.ekonom.nauk

Planning the internal working capital of a coal mine on the basis of a multiple correlation. Izv.vys.ucheb.zav.; gor.zhur. 8 no.11:50-54 '65.

(MIRA 19:1)

1. Khar'kovskiy inzhenerno-ekonomicheskiy institut. Rekomendovana kafedroy bukhgalterskogo ucheta i statistiki. Submitted January 1, 1965.



APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R000927430010-5"



APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R000927430010-5"

KULISH, U.M.; VYATKIN, A.P.

Dislocation structure of alloy contacts between semiconductors and metals. Izv. vys. ucheb. zav.; fiz. 8 no.6:157-161 '65.
(MIRA 19:1)

1. Sibirskiy fiziko-tekhnicheskiy institut imeni V.D. Kuznetsova.
Submitted May 26, 1964.

RULEVA, V.

KULISH, V., sportsmen pervogo razryada; RULEVA, V., sportsmen pervogo razryada.

Record parachute jumps from the stratosphere. Kryl.rod.8 no.11:6-7 N '57. (MIRA 10:12)

(Parachutists)

CHERNYSHEVICH, Fedor Ignat'yevich, inzh.; GURETSKIY, Semen Aleksandrovich, inzh.; KULISH, Viktor Fedorovich, inzh.; Prinimal uchastiye MIRONOV, K.A., inzh.; ROMADINA, I.V.; AYBASHEVA, T.V., red.

[Safety procedures in the repair of electric rolling stock] Tekhnika bezopasnosti pri remonte elektropodvizhnogo sostava. Moskva, Transport, 1965. 98 p. (MIRA 18:8)

VASILENKO, V.A., kand.filosofskikh nauk, polkovnik zapasa; KULAKOV, V.M., kand.istoricheskikh nauk, kapitan I ranga; KULISH, V.M., kand. istoricheskikh nauk, polkovnik; GOLUNOV, A.V., polkovnik, red.; DOZHDEV, I.M., tekhn.red.

[Present-day imperialist military ideology] Sovremennaia imperialisticheskaia voennaia ideologiia. Pod red. V.A. Vasilenko, V.M. Kulakova i V.M. Kulish. Moskva, Voen. izd-vo M-va obor. SSSR, 1958. 495 p. (MIRA 12:2)

1. Voyenno-politicheskaya krasnoznamennaya akademiya imeni V.I. Lenina.
(Military art and science)

KULISH, YA. K.

USSR/Miscellaneous

Card 1/1 : Pub. 133 - 21/21

Authors : Kulish, Ya. K., deputy of the Kursk Line Technical Administration

Title : Line Technical Centers are supplied unsatisfactorily with poles

Periodical : Vest. svyazi 9, the 3-rd page of the folder, Sep 1954

Abstract : In a letter to the editor the author describes various discrepancies in supplying the line technical centers of Kursk Oblast' with telegraph and telephone poles.

Institution : ...

Submitted : ...

KULISH, Ye. A. CAnd Geol-Min Sci -- "Geology and petrology of quartzites of ~~the~~ part of the Archean rocks of the southern Aldan shield." Len, 1960. (Acad Sci USSR. Geol Museum im A. P. Karpinskiy. Len State Ped Inst im A. I. Gertsen. Chair of Geology) (KL, 1-61, 185)

KULISH, Ye.A.

Quartzites of the Iyengra series and hydrothermal processes in place of low coherence in the Gorbylyakh Valley (southern Aldan shield). Trudy Geol. muz. AN SSSR no.2:82-100 '60.
(MIRA 13:10)

(Gorbylyakh Valley--Quartzite)

KULISH, Ye.A.

Early Mesozoic alkali granites in the southern Aldan Shield. Geol. i geofiz. no.12:112-115 '60. (MIRA 14:5)

1. Geologicheskiy muzey AN SSSR imeni A. P. Karpinskogo Leningrad
(Aldan Plateau--Granite)

KULISH, Ye.A.

Manganese-alumina rocks with viridine in the Archean of the Aldan Shield. Geol. i geofiz. no.1:53-65 '61. (MIRA 14:5)

1. Geologicheskiy muzey AN SSSR imeni A.P. Karpinskogo, Leningrad.
(Aldan Plateau—Viridine)

KULISH, Ya.D.; SOLOMONOV, A.Ye.

Boring horizontal connection boreholes from an inclined shaft at the Moscow Basin "Podzemgas" plant. Podzem.gaz.ugl. no.1:46-51 '57. (MLRA 10:7)

1. Podmoskovnaya stantsiya "Podzemgaz."
(Moscow Basin--Boring)

KULISH, Ya.D.

Industrial operation of the Moscow Basin "Podzemgaz" plant.
Podzem.gaz.ugl. no.2:27-31 '57. (MLRA 10:7)

1. Podmoskovnaya stantsiya "Podzemgaz."
(Moscow Basin--Coal gasification, Underground)

KULISH, Ye. Ye.

21(5) pp 1,3 PHASE I BOOK EXPLOITATION SOV/1297

Vsesoyuznaya nauchno-tekhnicheskaya konferentsiya po primeneniyu radioaktivnykh i stabil'nykh izotopov i izlucheniy v narodnom khozyaystve i nauke, Moscow, 1957

Polucheniye izotopov. Moshchnyye gamma-ustanovki. Radiometriya i dozimetriya; trudy konferentsii... (Isotope Production. High-energy Gamma-Radiation Facilities. Radiometry and Dosimetry; Transactions of the All-Union Conference on the Use of Radioactive and Stable Isotopes and Radiation in the National Economy and Science) Moscow, Izd-vo AN SSSR, 1958. 293 p. 5,000 copies printed.

Sponsoring Agency: Akademiya nauk SSSR; Glavnoye upravleniye po ispol'zovaniyu atomnoy energii SSSR.

Editorial Board: Frolov, Yu.S. (Resp. Ed.), Zhavoronkov, N.M. (Deputy Resp. Ed.), Aglintsev, K.K., Alekseyev, B.A., Bochkarev, V.V., Leshchinskiy, N.I., Malkov, T.P., Sinitsyn, V.I., and Popova, G.L. (Secretary); Tech. Ed.: Novichkov, N.D.

Card 1/12

PURPOSE: This collection is published for scientists, technologists, persons engaged in medicine or medical research, and others concerned with the production and/or use of radioactive and stable isotopes and radiation.

COVERAGE: Thirty-eight reports are included in this collection under three main subject divisions: 1) production of isotopes 2) high-energy gamma-radiation facilities, and 3) radiometry and dosimetry.

TABLE OF CONTENTS:

PART I. PRODUCTION OF ISOTOPES

Isotope Production SOV/1297

Card 3/12

This article describes the basic structural features of an ultra-high-temperature ion source and gives the results of its use in separating Pd, Pt, Ru, and Ir in a small electromagnetic separator. A hot cathode discharge is maintained in vapors of the element being separated and isotope ions are drawn from the gas discharge chamber through an aperture. A lateral electron beam with energies of 20-25 kev creates chamber temperatures up to 2800° C.

requiring high dosage (microorganisms, biological substrates) c) industrial radiation of biological products requiring sterilization, preservation, disinfection, etc. d) medical and therapeutical purposes.

General description and electric circuit diagrams are given for a pocket-sized radiometer intended for approximate determination of gamma- and hard beta-ray intensities above 1 Mev. Time lapse after onset of radiation registration serves as a parameter for the determination of intensity up to 1000 μr/hr with an accuracy of ± 20 percent. Working principle, components and electric circuit diagram are given for a pocket-size dosimeter capable of detecting approximate intensities of gamma- and beta-radiation from 0.1 to 5000 μr/sec and

and above 0.2 Mev, respectively.

AVAILABLE: Library of Congress

TM/atr
4-10-59

Card 12/12

Kulish, Ye Ye.

21(7) PHASE I BOOK EXPLOITATION SOV/1378

Sovremennoye oborudovaniye dlya raboty s radioaktivnymi izotopami; sbornik materialov (Modern Equipment for Working With Radioactive Isotopes; Collection of Materials) Moscow, Izd-vo glavnogo upravleniya po ispol'zovaniyu atomnoy energii pri sovete M-va SSSR, 1958. 110 p. (Series: Atomnaya energiya. Prilozheniye, 1958, no. 5) 8,450 copies printed.

Ed.: Zavodchikova, A.I.; Tech. Ed.: Popova, S.M.

PURPOSE: This book is intended for personnel engaged in activities involving the use of radioactive isotopes.

COVERAGE: This is supplement No. 5 to the periodical Atomnaya energiya for 1958. It contains 3 articles dealing with modern techniques, methods and apparatus for handling radioactive isotopes and may serve as a handbook in this respect. Schematic diagrams and illustrations of modern equipment for the remote handling of radioactive materials are given, as well as detailed descriptions of working principles.

Card 1/5

Modern Equipment (Cont.) SOV/1378

Card 3/5

AVAILABLE: Library of Congress

TM/ksv
4-30-59

Card 5/5

KULISH, YE. YE.

BOVEKAREV, V. V., KULISH, E. E. et al.

"Some Engineering Technological Aspects of Radioisotope and Labeled Compound Production in the USSR."

paper to be presented at the 2nd UN Intl.' Conf. on the peaceful uses of Atomic Energy, Geneva, 1 - 13 Sept 58.

SOV/89S-58-5-1/4

21(5)
AUTHORS: Bochkarev, V. V., Kulish, Ye. Ye., Tupitsyn, I. F.

TITLE: Some Technical and Technological Problems in the Production of Radioactive Isotopes and Tracer Compounds in the USSR (Nekotoryye tekhnicheskiye i tekhnologicheskiye voprosy proizvodstva radioaktivnykh izotopov i mechenykh soyedineniy v SSSR)

PERIODICAL: Atomnaya energiya, 1958, Supplement 5, pp 5 - 25 (USSR)

ABSTRACT: In 1958, 110 radioactive isotopes were produced commercially. 92 of them were formed by neutron irradiation. Prior to the irradiation the initial materials must be purified, if possible, so that in the subsequent processing of the radioactive elements the impurity activities do not yield too much waste. Very often it is possible to carry out the irradiations with enriched isotopes such as Fe^{55}, Sn^{123}, Te^{127}, Se^{75}, Cd^{115}. The portions irradiated fluctuate between 0.5, 1.0, 10 and 20 cm^3 and were contained either in aluminum containers, boron-free glass bottles or plastic containers. The irradiation periods for isotopes with a half-life up to 3 days is 6, 9 or 15 hours. Isotopes with a half-life period of 3-30 days are

Card 1/4

irradiated for 30 days. Isotopes with a half-life of more than 30 days (S^{35}, Ca^{45}) are kept in the reactor for 90 days. For the production of the isotopes C^{14} and Cl^{36} the initial material is irradiated for 6 to 12 months. In order not to disturb the most favorable reactor flux distribution on the feeding of the reactor with the ampoules to be irradiated a load diagram of the single irradiation chambers was set up prior to the experiments. The feeding in the different channels is therefore carried out in such a way that the original flux distribution is maintained. The irradiated samples are treated radiochemically and the desired radioactive isotopes are separated. In certain cases certain compounds are marked by these radioactive isotopes. The still high amounts of the preparations are then divided and filled into smaller ampoules. In the USSR 280 of the 450 chemical compounds produced in the usual way were produced which are synthesized from C^{14}, S^{35}, H^3, P^{32}, Cl^{36}. For the production of tracer compounds only 1 or 2 initial materials are used for the isotopes mentioned above. In this connection it is often necessary to build-in the radioactive atoms into a

certain place of a polyatomic molecule. The transition into a complex organic compound takes place by synthesis or other radiochemical methods such as isotopic exchange, reactions with "hot"atoms etc.The production of chemical compounds traced with soft β radiators is carried out at a preparation activity of 100 mC until some C are attained; this is done in laboratories equipped with glove boxes. For the production of organic compounds marked with C^{14} mainly the synthetic method is applied using almost always $BaC^{14}O_3$ as an initial product. The possible intermediate products are listed in a table. The possibilities based on the synthetic method are mentioned by which various compounds marked with S^{35} can be obtained from barium sulfate as an initial substance. The discharge channels and boxes used in the laboratories are equipped with manipulators or gripping gloves. Moreover, they are equipped with filters collecting the aerosols and gaseous impurities. Furthermore, these rooms are equipped with own water, gas and vacuum supplies and dispose of special channels for the removal of radioactive waste products. Photographic

representations are shown of 4 types of these boxes. Other very important appliances used in these radioactive laboratories are remote-control tools such as tongs, pincers, mirrors etc. Remote-controlled cutting tools, soldering bits etc. play an important part too. For the manipulation of very small volumes of active liquid volumes hydromanipulators, automatic remote-controlled burettes and pipettes are used. It is possible, for instance, to decant volumes 0.1 - 100 ml in accurate doses by means of such a hydromanipulator. Before dispatch each preparation is closely examined. The physico-chemical constants, the content of the main components, the total and the specific activity, the share of the active and inactive impurities are determined. As an example it is described how the content of the γ-isomer Cl^{36m} is determined in a hexachlorane preparation not yet purified. The quantitative determination of small concentrations is carried out mainly by spectrum analysis or by the polarographic method. Marked preparations used for medical or biological purposes are additionally examined as to their content of physiologically important admixtures. There are 14 figures and 2 tables.

KULISH, YE YE

PHASE I BOOK EXPLOITATION SOV/4536

Tashkentskaya konferentsiya po mirnomu ispol'zovaniyu atomnoy energii. Tashkent, 1959

Tezisy dokladov (Outlines of Reports of the Tashkent Conference on the Peaceful Uses of Atomic Energy) Tashkent, Izd-vo AN Uzbekskoy SSR, 1959. 229 p. 2,000 copies printed.

Sponsoring Agencies: Akademiya nauk Uzbekskoy SSR; Nauchno-tekhnicheskiy komitet Soveta Ministrov UzSSR.

Resp. Ed. for this book: L.G. Gurvich; Ed. of Publishing House: I. G. Gaysinskaya; Tech. Ed.: V. P. Bartseva.

PURPOSE: This book is intended for nuclear physicists and other members of the scientific community interested in recent progress in the peaceful uses of atomic energy.

COVERAGE: This collection of abstracts of reports and papers read at the Tashkent Conference on the Peaceful Uses of Atomic Energy reports on research on a number of theoretical problems in nuclear and radiation physics, practical problems

~~Card 1/28~~

and methods in the preparation of radioactive isotopes, and the application of isotopes in industry, geology, agriculture, medicine, plant and animal biology, and other branches of the national economy and scientific research. The Table of Contents has been expanded to include authors and titles of abstracted papers appearing in section headings "Plenary Sessions" through "Radioactive Isotopes and Nuclear Radiations in Chemistry". No personalities are mentioned. There are no references.

TABLE OF CONTENTS:

GRABLEVSKIY, V.N.; KULISH, Ye.Ye.; MATYUSHINA, N.A.; POPOVA, G.L.; POTAPOV, S.P.; SAVITSKIY, P.S.; TEREKHOVA, V.N.; FRAIKIN, G.M.; LABAZNOV, V.I., red.; VLASOVA, N.A., tekhn.red.

[Isotopes, radiation sources, and radioactive materials; a catalog] Izotopy, istochniki izlucheniia i radioaktivnye materialy; katalog. Sost. avtorskim kollektivom: V.N.Grablevskii i dr. Moskva, Izd-vo Glav.uprav.po ispol'zovaniiu atomnoi energii pri Sovete Ministrov SSSR, 1959. 269 p. (MIRA 12:12)

1. Russia (1923- U.S.S.R.) Glavnoye upravleniye po ispol'zovaniyu atomnoy energii.
(Radioactive substances)

S/089/60/009/003/013/014
B006/B063

AUTHOR: Kulish, Ye. Ye.

TITLE: α-, β-, and γ-Radiation Sources for Control and Automation of Technological Processes

PERIODICAL: Atomnaya energiya, 1960, Vol. 9, No. 3, pp. 241-242

TEXT: The present article gives a survey of the instruments and radiation sources used at present in the Soviet Union. The properties and range of application of the various sources are discussed. Among the instruments used at present in Soviet industry are contactless, radioactive thickness gauges; densimeters; level-meters; defectoscopes, etc. These and many other instruments help to solve problems in technology and research. Many of these instruments are now mass-produced: level-indicators of the type РИУ-1 (RIU-1), level-meters of the types УР-6А (UR-6A) and УР-7 (UR-7), densimeters of the type ПЖР-2 (PZhR-2), pressure gauges of the type МИР-3А (MIR-3A), and other instruments are manufactured by the Kaluzhskiy zavod pirometricheskikh priborov (Kaluga Factory for Pyrometers); thickness gauges of the types ИТУ-495 (ITU-495), ИТУ-496 (ITU-496), and

Card 1/3

α-, β-, and γ-Radiation Sources for Control and Automation of Technological Processes

S/089/60/009/003/013/014
B006/B063

ГТ-150 (GT-150), weight meters of the type БИВ(BIV), difference meters of the type Р-4 (R-4), piece counters of the type РСП-11 (RSP-11), etc. by the Tallinskiy zavod KIP (Tallin Factory KIP); electronic relays by the Khar'kovskiy zavod KIP (Khar'kov Factory KIP); gamma instruments for defectoscopic purposes by the Moskovskiy zavod "Mosrentgen" (Moscow Factory "Mosrentgen"), and many other instruments. The demands made by industry on radiation sources are particularly high; so they are exposed to aggressive media, shocks, vibrations, and temperatures between ... ten degrees below zero and 200-300°C, etc. Radiation sources are produced in three varieties: 1) in the form of wires, rods, etc. The active material is sometimes enclosed by Al foil as, e.g., in the case of Co60. 2) The active material is sealed in ampoules (for average activities). Single or double containers made of glass or metal are used according to the kind of source. 3) The sources are deposits of active material, placed on backings of different materials (especially for Sr^{90}, Pm^{147}, Pu, etc.). More than 200 sources of different forms are produced by industry from 14 isotopes. In this connection it is noted that, as a result of bremsstrahlung and radiation due to internal conversion, electron capture, and positron annihilation, numerous gamma sources

Card 2/3

emit spectra that differ largely from the spectra given in tables for the respective isotopes. For defectoscopic purposes the following soft emitters are recommended for light alloys, metals, and thin foils of heavy metals, as well as for technological control of materials with a low atomic number: Eu^{155}, Se^{75}, Ce^{144}, and Zn^{65}. Beta emitters may also be divided into two groups according to their spectral "purity": 1) "pure" beta emitters (Pm^{147}, Tl^{204}, Sr^{90}, and Ce^{144}) which are particularly suitable for piece counters, thickness gauges, etc.; 2) sources with a large bremsstrahlung admixture (Ce^{144} on Ru^{106} plates, and Sr^{90} in sources of the type БИ(BI)), which are of special use for instruments in which radiation penetrates the material.

FRADKIN, G.M.; KULISH, Ye.Ye.; PCHELINTSEVA, G.M., red.; POPOVA, S.M., tekhn. red.

[Sourses of α, β, γ, and neutron radiation for the automation and control of industrial processes] Istochniki α-, β-, γ- i neitronnykh izluchenii dlia kontrolia i avtomatizatsii tekhnologicheskikh protsessov. Moskva, Gos.izd-vo lit-ry v oblasti atomnoi nauki i tekhniki, 1961. 86 p. (MIRA 15:1)
(Radioactive substances--Industrial applications)

KULISH, Ye. Ye.

"Some Problems of Radioisotope Production in Research Reactors of the IRT and VVRS Types."

report presented at the Symposium on Programming and Utilization of Research Reactors, IAEA, Vienna, 16-21 Oct 1961.

33091
S/638/61/001/000/003/056
B102/B138

2.1.4000

AUTHORS: Kulish, Ye. Ye., Fradkin, G. M.

TITLE: Production of radioisotopes in the USSR

SOURCE: Tashkentskaya konferentsiya po mirnomy ispol'zovaniyu atomnoy energii. Tashkent, 1959. Trudy. v. 1. Tashkent, 1961, 34-46

TEXT: The authors give a survey of the most important details of Soviet isotope production, which has greatly increased in the last few years. Standard T'Y (TU) specifications have also been laid down for isotope production. During the last two years the production processes for 40 new isotopes and about 200 new labelled compounds have been developed. Most of the isotopes are produced as results of (n,γ) reactions. High-purity radioisotopes are either obtained by irradiating high-purity stable isotopes or by choosing reactions in which the target is a different element from the isotope produced. The latter method has become very popular since the fast reactor has been started up, as this made (n,p), (n,α) and (n,2n) reactions possible. New isotopes are also obtained from

Card 1/3

33091
S/638/61/001/000/003/056
B102/B138

Production of radioisotopes ...

the decay of isotopes produced by (n,γ), by (T,n) and (T,2n) reactions and from uranium fission fragments (Pm^{147}, Cs^{137}, Sr^{90} etc). They can be separated in the pure state. The new labelled compounds include a large number of complex compounds such as glycerin, glyceric acid, and benzyl alcohol which are important in biochemistry, and pharmaceutical products labelled with C^{14}. Besides the conventional chemical methods of producing labelled compounds increasing use is made of the energy of the recoil nuclei, and the method of isotope exchange is also employed. The activities and dimensions of the Eu^{152}, Co^{60}, S^{75}, Tu^{170}, R^{226}, C^{144}, Eu^{155}, and Cs^{137} preparations commercially produced since 1959 are tabulated. 95% of the annual consumption of $5 \cdot 10^5$ curies consists of α-, β-, γ- and n-emitters. Production of the latter, which have become important in mining and well drilling, has been particularly accelerated just recently. Besides Po-Be, Ra-Be sources are also used, which are produced with different dimensions and with certain maximum intensities between $1 \cdot 10^4$ and $3 \cdot 10^7$ n/sec. The prices of the most important isotope preparations are given. To standardize activity measurements comparative measurements with standard apparatus

Card 2/3

Production of radioisotopes ...

are suggested. Of the short-lived isotopes ($t_{1/2}$ < 3 d) 52 different compounds of 42 isotopes are being produced at present. The most important are Na^{24}, Si^{31}, K^{42}, Cu^{64}, Br^{32}, Au^{198}, J^{131}, and P^{32}. The starting materials are the chemically or analytically pure reagents. Special laboratories are needed to produce preparations of short-lived isotopes. A project for such a laboratory, produced by the Moskovskiy proyektnyy institut (Moscow Planning Institute), is obtained. There are 1 figure and 5 tables.

ASSOCIATION: Glavnoye upravleniye po ispol'zovaniyu atomnoy energii pri Sovete Ministrov SSSR (Main Administration for the Utilization of Atomic Energy at the Council of Ministers of the USSR)

X

S/194/62/000/001/028/066
D201/D305

AUTHORS: Fradkin, G. M. and Kulish, Ye. Ye.

TITLE: Sources of alpha-, beta-, gamma- and neutron-radiation for the control and automation of technological processes

PERIODICAL: Referativnyy zhurnal, Avtomatika i radioelektronika, no. 1, 1962, abstract 1-2-129 g (Radioakt. izotopy i yadern. izlucheniya v nar. kh-ve SSSR. T. I., M., Gostoptekhizdat, 1961, 95-109)

TEXT: The properties of artificial radioactive isotopes are considered, their characteristics given, ranges of applications shown and the classification of γ-, β- and neutron sources, as used in the USSR are given. 6 figures, 6 tables. [Abstracter's note: Complete translation.]

Card 1/1

SAVITSKIY, P.S., otv. red.; KULISH, Ye.Ye., red.; FRADKIN, G.M., red.; VORONOVA, A.I., red.; POPOVA, S.M., tekhn. red.

[Isotopes, radiation sources and radioactive materials; catalog]Izotopy istochniki izluchenii i radioaktivnye materialy; katalog. Izd.2., dop. Moskva, Gosatomizdat, 1962. 218 p. (MIRA 16:2)

1. Russia (1923- U.S.S.R.)Gosudarstvennyy komitet po ispol'zovaniyu atomnoy energii. (Isotopes) (Radiation)

RUMYANTSEV, S.V.; DOBROMYSLOV, V.A.; SHTAN', A.S.; KULISH, Ye.Ye.

Radiation characteristics of γ-sources from Sm^{145} and enriched Se^{75}. Atom. energ. 15 no.6:511-514 D '63. (MIRA 17:1)

KULISH, Yu. S. Cand Geolog-Mineralog Sci

Dissertation: "Experiment for Investigating an Interaction of Grounds with Bitumeus and Their Components." 30/3/50

Moscow Order of Lenin State V imeni M. V. Lomonosov.

SO Vecheryaya Moskva
Sum 71



APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R000927430010-5"

KULISHENKO, A. Z.

USSR/Physical Chemistry - General Problems of Isotope Chemistry, B-7

Abst Journal: Referat Zhur - Khimiya, No 19, 1956, 60988

Author: Kulishenko, A. Z.

Institution: None

Title: Equation of the Curve of Absorption of Radiation in Active Layer of Sample for S^{35}

Original Periodical: Zh. fiz. khimii, 1954, 28, No 7, 1186-1192

Abstract: On the basis of measurements of activity of $BaSO_4$ precipitates (tagged with S^{35}) of different thickness a more precise empirical formula has been derived for computation of the absorption of β-radiation of S^{35}: $I_x/I_o = 1 - \exp[-23x]$ (1), where I_x -- activity of sample of thickness x mg/cm^2 and I_o activity of "saturation" layer. The error in computation of the degree of absorption of radiation thus does not exceed 2%. Presented is a table of corrections of absorption for different x calculated in accordance with equation (1). Shown is the necessity of making

Card 1/2

USSR/Physical Chemistry - General Problems of Isotope Chemistry, B-7

Abst Journal: Referat Zhur - Khimiya, No 19, 1956, 60988

Abstract: correction for absorption in filter paper in the case of samples of a thickness below that of the "saturation" layer.

Card 2/2

KULISHENKO, A. Z.
USSR/Chemistry - Fuels

FD-3239

Card 1/1 Pub. 41-20/22

Author : Kulishenko, A. Z. and Medvedev, K. P., Khar'kov

Title : Use of radioisotope S35 in investigating the thermochemical conversion of sulfur compounds in coal during coking

Periodical : Izv. AN SSSR, Otd. Tekh. Nauk 7, 145-148, Jul 55

Abstract : Gives formulas for computing distribution of active sulfur, added radioactive sulfur, pyritic sulfur, and organic sulfur in the products of thermal decomposition of coal. Explains experimental procedure used to verify theory. Finds results in agreement with those obtained by Eaton, Hyde, and Road (Analytical Chemistry, Vol 21, No 9, 1949). Three tables. Seven references, 6 USSR.

Institution :

Submitted : 28 February 1955

SOV/65-58-9-12/16

AUTHORS: Medvedev, K. P. and Kulishenko, A. Z.

TITLE: Investigations on the Participation of Forms of Sulphur During the Formation of Carbon Disulphide From Coke Oven Gas with the Aid of Radio-Isotopes. (Issledovaniye uchastiya form sery uglya v obrazovanii serougleroda koksovogo gaza pri pomoshchi radioizotopov)

PERIODICAL: Khimiya i Tekhnologiya Topliv i Masel, 1958, Nr 9, pp 62 - 66, (USSR)

ABSTRACT: These investigations concern the types of sulphur participating in the forms of carbon disulphide during the coking of coal and schists. The use of radioactive isotopes makes it possible to determine the nature and quantity of each type of sulphur taking part in the process. Details of experimental procedures and calculations were described in earlier publications (Refs. 1, 3). 0.2 - 0.4% $CaSO_4.2H_2O$, tagged with the radioactive S^{35}, is added during investigations of the thermal chemical conversions. Coals from the Donets Basin grade G and PS were used; their composition and also sulphur content are given in Table 1. Table 2: data on the conversion of the sulphur to sulphur disulphide depending on the temperature of heating and the grade of coal.

Card 1/3

Investigations on the Participation of Forms of Sulphur During the Formation of Carbon Disulphide From Coke Oven Gas with the Aid of Radio-Isotopes.

It was found that mineral sulphur takes part in the formation of carbon disulphide. The role of pyrite and organic sulphur was investigated. The same grades of coal and standard schists comprising 20% grade G, 40% grade PZh, 20% K and 20% PS grade coal were tested. Analysis data is given (Table 3). The separation of natural sulphur in the form of carbon disulphide proceeds at a greater rate in less metamorphosed coal grade G than in the coal grade PS. Results on the role of natural, pyrite and organic sulphur during the formation of carbon disulphide are given in Table 4. Table 5: comparison of the types of sulphur in carbon disulphide formed during the coking of coals and schists. It was concluded that the degree of metamorphosis of the coal is an important factor. Details of complex reactions of disintegration and synthesis occurring at high temperatures in coke ovens can be obtained by using this

SOV/65-58-9-12/16

Investigations on the Participation of Forms of Sulphur During the Formation of Carbon Disulphide From Coke Oven Gas with the Aid of Radio-Isotopes.

method. There are 5 Tables and 7 References: 1 German and 6 Soviet.

1. Carbon sulfides--Properties 2. Sulfur--Chemical reactions 3. Coal gas--Chemical properties 4. Sulfur isotopes (Radioactive)--Applications

Card 3/3

68-53-4-4/21

AUTHOR: Kulishenko, A. Z.

TITLE: The Use of Radioactive Level and Density Meters for Controlling the Productivity of Flotation Machines (Primeneniye radioaktivnykh urovnemerov i plotnomerov dlya kontrolya i regulirovaniya proizvoditel'nosti flotatsionnykh mashin)

PERIODICAL: Koks i Khimiya, 1958, Nr 4, pp 10-14 (USSR)

ABSTRACT: For an automatic control of the feed of pulp to flotation machines and its density, radioactive level and density meters were used at the Chumakovskaya TsOF. The principle of operation of the level meter UR-4 (Fig.1) was as follows: a source of γ-radiation Co^{60} and a receiv were placed in special measuring columns on vertically movable supports. The receiver and the source move along the height synchronically and when the middle of the receiver is on the boundary of mediums the system is in equilibrium. With a change in the level of liquid the absorption of γ-radiation also changes, the signal is passed to the servomotor which appropriately moves the source and the receiver. The density meter was based on the variation in absorption of γ-radiation from Co^{60} with the pulp density. It was found by controlling the

Card 1/2

68-58-4-4/21

The Use of Radioactive Level and Density Meters for Controlling the Productivity of Flotation Machines

pulp feed and its density the output of flotation machines can be considerably increased. The above two instruments can also be used for the complete automation of the flotation machines.
There are 3 figures, 5 tables and 3 references, all of which are Soviet.

ASSOCIATION: UKhIN

1. Minerals--Flotation 2. Flotation machines--Control systems
3. Radiation meters--Applications 4. Cobalt isotopes (Radioactive) --Applications

Card 2/2

KULISHENKO, A.Z.; KHARITONOV, A.S.; KUZ'MENKO, A.S.; GARMASH, G.K.

Determination of the viscosity of magnetite in suspension by measuring its magnetic permeability in conjunction with a radioactive densitometer. Koks i khim. no.2:13-15 '60. (MIRA 13:5)

1. Ukrainskiy uglekhimicheskiy institut(for Kulishenko, Kharitonov). 2. Yasinovskiy koksokhimicheskiy zavod(for Kuz'-menko, Garmash).
(Yasinovka--Coal preparation) (Magnetite)

KULISHENKO, A.Z.

Automatization of the flotation division at the Yasinovka By-Product Coking Plant by means of radioactive density meters. Koks.i khim. no.5:17-19 '60. (MIRA 13:7)

1. Ukrainskiy uglekhimicheskiy institut.
(Yasinovka--Flotation--Equipment and supplies)
(Automatic control) (Densitometers)

KULISHENKO, A.Z.; MEDVEDEV, K.P.

Use of the radioisotopes S^{35} in the study of the process of coal desulfurization. Koks i khim. no.7:5-10 '60. (MIRA 13:7)

1. Ukrainskiy uglekhimicheskiy institut.
(Coal) (Desulfuration) (Radioisotopes)

KULISHENKO, A.Z.; BOCHAROV, N.G.; KUZ'MENKO, A.S.

New flow sheet and automatic control of the flotation process. (MIRA 15:3)
Koks i khim. no.3:3-11 '62.

1. Ukrainskiy uglekhimicheskiy institut (for Kulishenko).
2. Yasinovskiy koksokhimicheskiy zavod (for Bocharov, Kuz'menko).
(Coal preparation) (Flotation) (Automatic control)

KULISHENKO, A.Z., kand. tekhn. nauk; KHARITONOV, A.S.; GRIDIN, I.A.

Capacitance transducer for measuring the moisture content of the coking charge in the flow. Koks i khim. no.9:16-19 '62. (MIRA 16:10)

1. Ukrainskiy uglekhimicheskiy institut.
(Moisture—Measurement) (Coke)

GARMASH, G.K.; GRIDIN, I.R.; KULISHENKO, A.Z.; KHARITONOV, A.S.

Magnetic density relay. Zav.lab. 29 no.2:241-242 '63. (MIRA 16:5)

(Electric relays) (Automatic control) (Suspensions (Chemistry))

KULISHENKO, A.Z., inzh.; RYBALKO, A.M., inzh.; KISHTEV, V.P., inzh.; KIRILYUK, L.V.

Automatic supply of molding sand with the use of radioisotopes. Mashinostroenie no.6:58-59 N-D '64 (MIRA 18:2)

RAZIKOV, M.I.; Prinimali uchastiye: KHOVANETS, V.K., inzh.; KULISHENKO, B.A., inzh.; IL'IN, V.P., inzh.

New techniques for automatic hard facing in an atmosphere of carbon dioxide. Avtom. svar. 15 no.6:33-38 Je '62. (MIRA 15:5)

1. Ural'skiy politekhnicheskiy institut imeni S.M.Kirova.
(Hard facing) (Protective atmospheres)

KULISHENKO, V.

A word from innovators. Sov.profsoiuzy 6 no.18:30 D '58.
(MIRA 12:2)

1. Instruktor Kiyevskogo oblsovprofa.
(Kiev--Inventions, Employees')

KOZLOV, V. (g. Astrakhan'); KULISHENKO, V., instruktor; GUSAROV, N. (Tatarskaya ASSR); GROMADCHENKO, A.; BAYEV, V.; SHCHEGLOV, A., instruktor

With the trade union organizations. Sov.profsoiuzy 7 no.3:62-64 F '59. (MIRA 12:3)

1. Kiyevskiy oblsovprof (for Kulishenko). 2. Rayprofsozh Karagandinskogo otdeleniya zheleznoy dorogi (for Shcheglov).
(Trade unions)

KULISHENKO, V.

An important point of a collective agreement. Sov.profsoiuzy 7 no.9:48 My '59. (MIRA 12:8)

1. Starshiy instruktor Kiyevskogo oblsovprofa.
(Kiev--Labor productivity)

MICHURIN, Ye, slesar'-sborshchik; ALEKSANDROV, A. (g.Dneprodetrovsk); BELYAYEV, A.; KULISHENKO, V.; POTAPOVA, A.; SPIZHARSKIY, N.; NAZARENKO, P.; SAVEL'YEV, V. (g.Arkhangel'sk)

Letters to the editors. Sov.profsoiuzy 16 no.11:44-49 Je '60. (MIRA 13:6)

1. Moskovskiy zavod malolitrazhnykh avtomobiley (for Michurin). 2. Redaktor gazety "Za tempy" Kolomenskogo zavoda tekstil'nogo mashinostroyeniya (for Belyayev). 3. Starshiy instruktor Kiyevskogo oblastnogo soveta profsoyuzov (for Kulishenko). 4. Zaveduyushchiy uchebno-kursovoy bazoy Astrakhanskogo oblsovprofa (for Nazarenko).
(Labor and laboring classes)

DUBYAGA, A.G.; KOFMAN, S.R.; KULISHER, M.A.

Basic trends in the development of tank farms. Neft.khoz. 38 no.8:57-62 Ag '60. (MIRA 13:8)
(Petroleum--Storage)

BONDARCHUK, A.P.;KODNITSKIY, I.I.; KULISHER, M.A.; PEVZNER, V.B., red.; GOR'KOVA, A.A., ved. red.; BASHMAKOV, G.M., tekhn. red.

[Automatic control on tank farms and of petroleum product pipelines] Kontrol' i avtomatizatsiia neftebaz i magistral'nykh nefteproduktoprovodov. Moskva, Gos. nauchno-tekhn. izd-vo neft. i gorno-toplivnoi lit-ry, 1961. 193 p. (MIRA 15:3)

(Petroleum—Storage) (Petroleum—Pipelines)
(Automatic control)

KULISHEV, A.

Expenditure of forage on cooperative farms. p.28.
KOOPERATIVNO ZEMEDELIE, Sofiya, Vol. 11, no. 2, Feb. 1956.

SO: Monthly List of East European Accessions, (EEAK), LC, Vol. 5, No. 6 June 1956, Uncl.

KULISHEV, A.

KULISHEV, A. Means of the transitory reserves. p.13.

Vol. 11, no. 9, Sept. 1956
KOOPERATIVNO ZEMEDELIE
AGRICULTURE
Sofiia, Bulgaria

SO: East European Accession, Vol. 6, No. 3, March 1957

KULISHEV, A.; BONDAKOV, G.

New method for making an account of the day's work in plant cultivation. p. 30. (Kooperatvino Zemedelie, Vol. (12), no. 2, Feb. 1957. Sofiia, Bulgaria)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 10, October 1957. Uncl.

KULISHEV, M.

Methods section of the technical subject teachers. Politekh.obuch. no.5:90 My '59. (MIRA 12:7)

1. Direktor Malopereshchepinskoy sredney shkoly Poltavskoy oblasti.

(Technical education)

1. KULISHEVA, P. I.

2. USSR (600)

4. Poultry

7. Raising chicks in a converted building. Ptitsevodstvo No. 4, 1952.

9. Monthly List of Russian Accessions, Library of Congress, February 1953. Unclassified.

KULISHOV, M. P. and KARSHENBAUM, O. P.

"The Talc-Carbonate Horizon of Krivorozh'ye"
Geologichniy Zh., Vol 13, No 4, 1953, pp 83-85

States that as a result of investigations which lasted several years the presence of only one talc-carbonate horizon was established in Krivorozh'ye. The authors give a description of the different kinds of shale which make up the horizon. (RZhGeol, No 4, 1954)

SO: W-31187, 8 Mar 55

KULISHOV, M. P.

KULISHOV, M. P. -- "Petrotectonic Investigation of Rock of Krivoy Rog." Min Higher Education USSR. Dnepropetrovsk Order of Labor Red Banner Mining Inst imeni Artem. Dnepropetrovsk, 1955. (Dissertation for the Degree of Candidate of Geologicomineralogical Sciences.)

SO: Knizhnaya letopis', No. 4, Moscow, 1956

KULISHOV

AKIMENKO, N.M.; BELEVTSEV, Ya.N.; GOROSHNIKOV, B.I.; DUBINKINA, R.P.; ISHCHENKO, D.I.; KARSHENBAUM, A.P.; KULISHOV, M.P.; LYASHCHENKO, K.P.; MAKSIMOVICH, V.L.; SKURIDIN, S.A.; SIROSHTAN, R.I.; TOKHTUYEV, G.V.; FOMENKO, V.Yu.; SHCHERBAKOVA, K.F.; SEMENOV, M.V., red.izd-va; AVERKIYEVA, T.A., tekhn.red.

[Geological structure and iron ores of the Krivoy Rog Basin] Geologicheskoe stroenie i zheleznye rudy Krivorozhskogo basseina. Moskva, Gos. nauchno-tekhn.izd-vo lit-ry po geologii i okhrane nedr, 1957. 278 p. (MIRA 11:3)
(Krivoi Rog Basin--Geology)

BONDARENKO, P.M., inzhener-geolog; GOROSHNIKOV, B.I., kand.geologo-mineralogicheskikh nauk; KULISHOV, M.P., kand.geologo-mineralogicheskikh nauk; KUCHER, V.N., geolog

Relationship between the Krivoy Rog metamorphic series and Saksagan plagioclastic granites. Sbor. nauch. trud. NIGRI no.2:132-142 '59. (MIRA 14:1)

(Krivoy Rog Basin—Rocks, Crystalline and metamorphic)
(Saksagan Valley—Granite)

MAGAK'YAN, I.G.; AKIMENKO, N.M.; BELEVTSEV, Ya.N.; GERSHOYG, Yu.G.; GRECHISHNIKOV, N.P.; KALYAYEV, G.I.; KARSHENBAUM, A.P.; KRAVCHENKO, V.M.; KULISHOV, M.P.; MAKSIMOVICH, V.L.; MEL'NIK, Yu.P.; PITADE, A.A.; SKURIDIN, S.A.; STRIGIN, A.I.; FEDORCHENKO, V.S.; FOMENKO, V.Yu.

Reviews and bibliography. Geol. rud. mestorozh. 7 no.3:113-117 My-Je '65. (MIRA 18:7)

KULISHOV, S.

Practices worth to be disseminated. Sil'. bud. 10 no.11:17 N '60.
(MIRA 13:11)

1. Nachal'nik upravleniya stroitel'stva Sumskogo oblupravleniya sel'skogo khozyaystva.
(Sumy Province—Roofing)

KULISHOV, S.

We are increasing the output of fire-proof building materials.
Sil'.bud. 11 no.11:12-13 N '61. (MIRA 15:3)

1. Nachal'nik upravleniya stroitel'stva Sumskogo oblastnogo ob"yedineniya "Sil'gosptekhnika".
(Sumy Province--Building materials industry)

KULISHOVA, A.

For those who eat at home. Obshchestv.pit. no.2:19 '57.
(MIRA 11:4)

1.Direktor Kiyevskoy stolovoy No.497.
(Kiev--Restaurants, lunchrooms, etc.)

KULISHOVA, K.

Observations of lunar occultations of stars at the Tashkent Astronomical Observatory. Astron. tsir. no. 214:24 S '60.
(MIRA 14:1)

1. Tashkentskaya astronomicheskaya observatoriya.
(Occultations)

EYLART, Yan Gansovich[Eilart, J.]; YYGE, Ayno Khugovna [Õige, A.]; KULISHOVA, M [translator]; POSTNOVA, V., red.

[Viidumägi, a preserve of rare plants. Translated from the Estonian] Viidumiagi - zapovednik redkikh rastenii. Tallin, Eesti Raamat, 1965. 38 p. (MIRA 18:11)

SHAROVAROV, A.; KULISHOVA, M., red.

[In the sky of Estonia; on the Twentieth Anniversary of the Estonian Separate Air Group, 1944-1964] V nebe Estonii; k dvadtsatiletiiu Estonskoi otdel'noi aviagruppy (1944-1964). Tallinn, Estonskoe gos.izd-vo, 1964. 100 p.
(MIRA 18:5)

1. Russia (1923- U.S.S.R.) Ministerstvo grazhdanskoy aviatsii. Estonskaya otdel'naya aviagruppa.

KULISHOVA, M., red.; TÕNISSON, A., tekhn. red.

[A high goal; railroad workers of Estonia struggle for a main line of communist labor] Vysokaia tsel'; zheleznodorozhniki Estonii v bor'be za magistral' kommunisticheskogo truda. Tallinn, Estonskoe gos. izd-vo. 1961. 95 p. (MIRA 15:5)

1. Estonskaya zheleznaya doroga.
(Estonia--Railroads) (Socialist competition)

KOZLOWSKI, Jan; KULISIEWICZ, Jan

New techniques of boring deeper with wider diameters; 70% faster, 30% less expensive than at present. Przegl techn no.46:4 16 N '60.